



THREE TIME



HEALTHCARE
FACILITIES
symposium and expo

AWARD WINNER

MOST INNOVATIVE PRODUCT
MOST SUSTAINABLE NEW PRODUCT
BEST IN SHOW!



Mobile Temporary Room Isolation

CONTAINMENT FOR ICRA RISK LEVELS I-IV
INFECTIOUS DISEASE SURGE AND EMERGENCIES

5 Minute Set-Up | Magnetically Seals



Features

- Four integrated floor levelers
- Magnetic sealing isolation module
- Two removeable stabilizers (AnteRoom 36 module only)
- Interchangeable flex-duct adapter and shut-off plate



Best
in
Class!

Versatility

- Electrical plug on outside powers the LED lighting and two convenience outlets
- Extends or reduces to fit doors of nearly any size
- Expand the depth by one or two foot increments

Best
in
Class!

Electrical

- Wired for 120 v. with one external plug and GFCI protected plugs inside
- Electrical plug on outside powers the LED lighting and two convenience outlets



Premium Door Package

- Lock and key set
- Large window
- Work permit slip holder
- Reversible hinges and lock for left or right swing (AnteRoom 36 and 48 only)

Safety Features

- Magnahelic
- Three windows for great visibility and light
- Adjustable LED lighting

Best
in
Class!

Structure

- Fully box-framed floor
- Lightweight design
- Assembled with aircraft-grade inserts / fasteners and truss-head screws

Mobility

- Removable and lockable non-marring casters(4)



FIT ANY DOOR FRAME

Match door and frame using removable reducing or extension adapters.

AnteRoom 48 Adapters

AnteRoom 36 Adapters

Door	Frame	Adapter	Part#: (Qty)	Door	Frame	Adapter	Part#:
36"	40"	6" (2)	HCAR4818-6RR 6LR	36"	40"	None	Standard Size
44"	48"	2" (2)	HCAR4818-4RR 4LR	42"	46"	6"	HCAR3618-6E
48"	52"	None	Standard Size	44"	48"	8"	HCAR3618-8E
52"	56"	5"	HCAR4818-5E	48"	52"	12"	HCAR3618-12E
94" T	All	Top	HCAR4818-10HE	52"	56"	16"	HCAR3618-16E
96" T	All	Top	HCAR4818-12HE	>80" T	All	Top	HCAR3618-TE



Working Dimensions:

51.75" W x 24"D x 85.5" T

Working Weight:

160 lbs

Double door setup allows patient beds or large carts to be wheeled in and out.

Working Dimensions:

51.75" W x 24"D x 85.5" T

Working Weight:

160 lbs

Fits 48" door natively and other sizes 36" -60" with extenders and reducers.

Working Dimensions:

39.5" W x 24"D x 85.5" T

Working Weight:

150 lbs

Fits 36" door natively and other sizes up to 60" with extenders and reducers.

Available in Three Models

ADD DEPTH

Expand footprint with AnteRoom Extenders that couple to the AnteRoom or another extender

- Expand for more room in minutes in 12" and 24 increments
- Includes module with floor levelers and couplers



WALL WORK

ADD WALL ACCESS Foam Kit
Option for wall access projects

- Works on walls with foam kit and magnetically attaches to the AnteRoom



PART#
HCAR48-MWFK

ADD: MAGNETIC FRAME Kit to work on non-magnetic door frames.

PART#:
HCAR4818-MMFK

REPLACE FRAMES

ADD DOOR FRAME ADAPTER
To Remove and Service Door Frames

- Removable adapter seals around the door frame with foam
- Works with AnteRoom 48 and DD models



PART #:
HCAR4818-DFA

AnteRoom 48 Extenders

Size	Model #
12" Extender	HCAR4818-12EXP
24" Extender	HCAR4818-24EXP

AnteRoom 36 Extenders

Size	Model #
12" Extender	HCAR3618-12EXP
24" Extender	HCAR3618-24EXP

VENTING SOLUTION

DISINFECT, DIFUSE AND DUCT SAFELY

- One 18" Far-UVC (222nm) lamp delivers the disinfecting power to inactivate viruses and bacteria in a single pass
- One 300 watt power supply and one mercury free Far-UVC lamp with 3,000 hour lifetime



DUCTZONE



Working Dimensions

26.35" L x 20.12" W x 16.6"

Working Weight:

40 lbs

MODEL#:

FUV.ADM.USH

UV DISINFECTION

MOTION SENSING SURFACE DISINFECTION

- Completely safe with continuous surface disinfection to automatically deactivate the lamp when motion is detected



MODEL#:

UVFSC.12W

SMARTCLEAN



- One 222nm Far-UVC lamp module delivers 100 mJ of disinfecting power to inactivate any virus, bacteria or fungus during one standard cleaning cycle.
- Lamp is nano-filtered to just 222nm wavelength

MONITOR

MOTION SENSING SURFACE DISINFECTION

- Configurable to monitor positive or negative pressure in protected spaces

PART #:

ARRPM



AIR FILTRATION

NEGATIVE AIR

MEDICAL GRADE HEPA

- Variable speed, fine tuned, air flow: 50-1000 cfm
- Energy efficient ECM fan is quieter and rated for 50,000 hours of usage
- Easy to tilt and move from location to location
- Filter change warning lights and built-in cord storage
- Easy HEPA and prefilter change outs



Working Dimensions

35.25" L x 24.5" W x 20.5" T

Working Weight:

120 lbs

HEPAFORCE

BY HEPACART®



Working Dimensions

35.35" L x 24.5" W x 20.5" T

Working Weight:

80 lbs

MODEL #:

HFAIR1100

- Same energy efficiency and features of the HEPA-FORCEAIR 11000 with a precision fan speed control of 100-1700 cfm
- Both units carry ETL certification for UL, UKCA, CSA and CE
- 240v version available on request

MODEL#:

HFAIR2100

ACCESS

LOCKING HANDLE SET

- 7 Pin lock with heavy duty lever

PART#:

RSFIC



KEYPAD LOCK

- Digital programmable keypad with auto-lock and Elan levers

PART #:

HCAR-KCA



ISO PACK and AnteRoom Configurations

Infectious Disease Surge Application
COVID, TB, MERS, SARS, Influenza, Measles, etc.



The ISO-PACK includes:

- The award winning HEPACART® AnteRoom 48 Patient Access AnteRoom
- The HEPAFORCE® AIR 1100 Negative Air Machine with Medical Grade HEPA-Filter
- The air disinfecting DUCTZONE with UVFORCE® Technology
- All ducting and duct clamps

ANTEROOM ISO-PACK Configurations and Components List



ANTEROOM
4 ft. wide x 2 ft. depth



ANTEROOM
4 ft. wide x 3 ft. dept



ANTEROOM
4 ft. wide x 4 ft. depth



ANTEROOM
4 ft. wide x 5 ft. depth

Description	Part/Model #
Isolation Module	ARDD-0002
Med-Grade HEPA NAM	HFAIR1100
2x Duct Kit with Clamps	HFACC-DUCL2
Air Disinfection Module	FUV.ADM18.USH

Description	Part/Model #
Isolation Module	ARDD-0002
12" Extension Module	HCAR4818-12EXP
Med-Grade HEPA NAM	HFAIR1100
2x Duct Kit with Clamps	HFACC-DUCL2
Air Disinfection Module	FUV.ADM18.USH

Part/Model #	Description
Isolation Module	ARDD-0002
24" Extension Module	HCAR4818-24EXP
Med-Grade HEPA NAM	HFAIR1100
2x Duct Kit with Clamps	HFACC-DUCL2
Air Disinfection Module	FUV.ADM18.USH

Part/Model #	Description
Isolation Module	ARDD-0002
12" Extension Module	HCAR4818-12EXP
24" Extension Module	HCAR4818-24EXP
Med-Grade HEPA NAM	HFAIR1100
2x Duct Kit with Clamps	HFACC-DUCL2
Air Disinfection Module	FUV.ADM18.1

For doors larger or smaller than 48" see the Door Frame Adapters chart.