

PORTABLE PROTECTION

AnteRoom Mobile Isolation

BUILT IN HEPA FILTRATION FOR ICRA COMPLIANCE LEVELS I-V



Available in THREE Models, featuring Adapter Options, Upgrades and Accessories. Sets up in 5 minutes.

At HEPACART®, we strive to make equipment that provides the durability, safety and flexibility for work in a variety of containment projects. In reviewing the AnteRoom product line, choose the best size, adapter and options for your project.



Unit Sizes

AnteRoom 36

Includes isolation module, and stabilizers specializing in recessed 36" doors.

AnteRoom 48

Larger unit and our most popular model with contractors.

Natively fits 48 in. doors.

AnteRoom 48 DD

Added door entry space for patient bed or large equipment.

Our most popular model with facilities.

Natively fits 48 in. doors



Multi-Functional

Renovation

Creates a temporary vestibule to keep dust in the workspace.

Pandemic / Surge Response

Converts a standard patient room into an isolated space.

5-Minute
Set-Up |
Magnetically
Seals to
Door Frames



Options

Adapters:

Reducers and extenders mount to the back of the AnteRoom module to fit nearly any size door.

Expanders

Add depth in 1 ft. and 2 ft. increments to provide additional space for donning and doffing.

Wall Applications

AnteRoom can also be configured to provide containment for wall projects.





Three Time Award Winner

MOST INNOVATIVE PRODUCT

MOST SUSTAINABLE NEW PRODUCT

BEST IN SHOW!







Standard Features of Every AnteRoom



Features

Magnetic sealing isolation module

Four integrated floor levelers.

Interchangeable flexduct adapter and shut-off plate.



Available in 120 v AC for North America / Japan.

240 v. model UKCA certified for the United Kingdom

LED lighting system illuminates the AnteRoom.



Exterior electrical plug powers the LED lighting and convenience outlets.



Durability

Fully-boxed aluminum frame floor.

Lightweight, unibody design.
Assembled with aircraftgrade inserts and truss-head screws.




Ease of Use

Moves on 4 casters.



2

Tilts up into place.



3

Slides to the doorframe.





Mobility and Convenience



Four casters for moving from project to project Installed magnehelic.



Worker completes work and exits room under negative air pressure.





Worker closes patient door and steps into the AnteRoom.





Worker closes room door, cleans the AnteRoom and themselves.





Worker exits the AnteRoom and closes door.





Available in Three Base Module Sizes





36



ANTEROOM 48

ANTEROOM



Doors:

One main hinged door Door opens to 34.5 in W x 81.5 in. H

Fit:

Natively to any 36" door. Add extenders for larger door frames.

Working Dimensions:

39.5" in. W x 24 in. D x 85.5 in. H **Working Weight:**

150 lbs

Unique Features:

Includes two stabilizers. Reversible swinging door. Magnehelic mounted internally.

Doors:

One main hinged door Door opens to 34.5 in W x 81.5 in. H

Fit:

Natively to any 48" door. Add extenders or reducers to accommodate larger/smaller door frames.

Working Dimensions:

51.5 in. W x 24 in. D x 85.5 in. H **Working Weight:** 160 lbs

Unique Features:

Reversible swinging door. Magnehelic mounted externally.

Doors:

One main hinged door One lock-in-place hinged door Doors open to 43 in W x 81.5 in. H

Fit:

Natively to any 48" door. Add extenders or reducers to accommodate larger/smaller door frames.

Working Dimensions:

51.5 in. W x 24 in. D x 85.5 in. H **Working Weight:** 160 lbs

Unique Features:

Second door opening allows for hospital beds or larger equipment. Magnehelic mounted externally.







Add Options for Any Door Frame or Project

Fit Any Door Frame with Reducers or Expanders

⊱{ින්

ANTEROOM 36 ADAPTERS

Door	Frame	Adapter	Part#:
36"	40"	None	Standard Size
42"	46"	6"	HCAR3618-6E
44"	48"	8"	HCAR3618-8E
48"	52"	12"	HCAR3618-12E
52"	56"	16"	HCAR3618-16E
>80" T	All	Тор	HCAR3618-TE

48

ANTEROOM 48 ADAPTERS

Door	Frame	Adapter	Part#:
36"	40"	6" (2)	HCAR4818 6RR 6LR
44"	48"	2" (2)	HCAR4818 4RR 4LR
48"	52"	None	Standard Size
52"	56"	5"	HCAR4818-5E
94" T	All	Тор	HCAR4818-10HE
96" T	All	Тор	HCAR4818-12HE



Add AnteRoom Depth with Extenders



36

Size

12" Extender Part#: HCAR3618-12EXP 24" Extender Part# HCAR3618-24EXP

Expand for more room in minutes in 12" and 24 increments.



Size

12" Extender Part#: HCAR4818-12EXP 24" Extender Part# HCAR4818-24EXP

Includes module with floor levelers and couplers.

Remove or Replace Door Frames

Portable Isolation for: Maintenance and **Renovation Projects** as Well as **Infectious Disease Outbreaks**

FRAME ADAPTER

To remove and service door frames.

Removable adapter seals around the door frame with foam

Works with AnteRoom 48 models.

PART #: HCAR4818-DFA



913.789.9590



AnteRoom Upgrade Options



KEYPAD LOCK SYSTEM

Digital programmable keypad with auto-lock and Elan levers.

PART #:HCAR-KCA



7-PIN LEVER LOCK SYSTEM

7-pin lock with heavy duty lever.

PART #:ARSFIC



DIGITAL PRESSURE MONITOR

Provides visible and audible alarms.

Configurable to monitor negative air pressure.

PART #:ARRPM



AUTOMATIC DOOR CLOSER

Automatically closes the AnteRoom door upon entrance and exit.

PART #:ARCLOSE

AnteRoom Works with Wall Projects



FOAM SEAL

Wall foam kit magnetically attaches to the AnteRoom.
Also works on non-magnetic door frames.

PART #: AR48-MWFK

AnteRoom Upgrade Accessories



NEGATIVE AIR MACHINE

Designed for compatibility with the AnterRoom product line.
99.99% HEPA and ETL-listed.
Variable speed, fine-tuned air flow 50-1000cfm.

PART #:HFAIR1100



UV SURFACE DISINFECTION

Continuous, safe surface disinfection.

Automatically deactivates when motion is detected.

PART #:UVFSC12W



UV DISINFECTION AND DUCTING SOLUTION

One UV lamp delivers the disinfecting power to inactivate virus and bacteria on a single pass. Diffuses and disinfects the air.

PART #:FUV.ADM.USH









ISO PACK and AnteRoom Configurations

Infectious Disease Surge Application COVID, TB, MERS, SARS, Influenza, Measles

The ISO-PACK includes:

The award-winning HEPACART®AnteRoom 48 Double Door AnteRoom

The HEPAFORCE®AIR 1100 Negative Air Machine with Medical Grade HEPA-Filter

The air disinfecting DUCTZONE with UVFORCE®



Configurations and Components List



ANTEROOM 4 ft. W x 2 ft. D



ANTEROOM 4 ft. W x 3 ft. D



ANTEROOM 4 ft. W x 4 ft. D



ANTEROOM 4 ft. W x 5 ft. D

Description	Part/Model #
Isolation	ARDD-0002
Module	
Med-Grade	HFAIR1100
HEPA NAM	
2x Duct Kit	HFACC-
with Clamps	DUCL2
DUCTZONE	FUV.ADM.USH
Module - UV	

Description	Part/Model #	Part/Model #	Part/Model #	Part/Model #	Part/Model #
Isolation	ARDD-0002	Isolation	ARDD-0002	Isolation	ARDD-0002
Module		Module		Module	
12" Extension	HCAR4818-	24" Extension	HCAR4818-	12" Exten-	HCAR4818-
Module	12EXP	Module	24EXP	sion Module	12EXP
Med-Grade	HFAIR1100	Med-Grade	HFAIR1100	24" Exten-	HCAR4818-
HEPA NAM		HEPA NAM		sion Module	24EXP
2x Duct Kit	HFACC- DUCL2	2x Duct Kit	HFACC-	Med-Grade	HFAIR1100
with Clamps	DUCL2	with Clamps	DUCL2	HEPA NAM	
DUCTZONE	FUV.ADM.USH	DUCTZONE	FUV.ADM.USH	2x Duct Kit	HFACC-
Module - UV		Module - UV		with Clamps	DUCL2
				DUCTZONE	FUV.ADM.USH
				Module - UV	



AnteRoom Models Guide



ANTEROOM 36 Models

SKU	CONFIGURATION
AR36-0001	AnteRoom 36 (Base Model)
AR36-0201	AnteRoom 36 with Lever Handle
AR36-0101	AnteRoom 36 with Keypad Lock

ANTEDOOM 48 Models

	ANTEROOM 48 Models		
	SKU	CONFIGURATION	
	O AR48-0002	AnteRoom 48 (Base Model)	
	AR-0202	AnteRoom 48 with Lever Handle	
	AR-0102	AnteRoom 48 with Keypad Lock	
-C2 ANTEROOM	AR-0012	AnteRoom 48 with Digital Pressure Monitor	
•	AR48-0212	AnteRoom 48 with Lever Handle + Digital Pressure Monitor	
	AR48-0112	AnteRoom 48 with Keypad Lock + Digital Pressure Monitor	
	9		

ANTEROOM 48 Models

SKU	CONFIGURATION	
AR48DD0002	AnteRoom Double Door (Base Model)	
ARDD-0202	AnteRoom Double Door with Lever Handle	
ARDD-0102	AnteRoom Double Door with Keypad Lock	
ARDD-0012	AnteRoom Double Door with Digital Pressure Monitor	-C2 ANTERDOM
AR48DD-0212	AnteRoom Double Door with Lever Handle + Digital Pressure Monitor	-6)
AR48DD-0112	AnteRoom Double Door with Keypad Lock + Digital Pressure Monitor	





Photo Gallery | AnteRoom In Action











